

```
Clone_Blog_Posting.scpt — Edited ▾  
AppleScript ◻ <No selected element> ◻  
tell application "TextWrangler"  
  activate  
  select text 1 of project window 1  
  copy selection  
  make new text document at project window 1  
  tell application "System Events"  
    set cannedResponse to "<hr>\n\n  
<p>If this was interesting you may be interested in <a title='Click here to see topics in which you  
  might be interested' href='#d25228' onclick='var  
    dv=document.getElementById(\"d25228\"); dv.innerHTML = \"&it;iframe width=670  
    height=600 src=\" + \"http://www.rjmprogramming.com.au/ITblog/tag/web-server\" +  
    \"&it;iframe&it;\"; dv.style.display = \"block\";\">this</a> too.</p>\n\n  
<div id='d25228' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></  
  div>"  
    set theList to paragraphs of cannedResponse  
    set listCount to count of theList  
    repeat with i from 1 to listCount  
      tell application "System Events"  
        keystroke item i of theList  
        if i is not listCount then keystroke return  
      end tell  
    end repeat  
  end tell  
  paste  
end tell  
Description  
De
```

Latitude & Longitude: [php: PHP: List o](#) <http://www> The Other > + ▾

Search

9,600 while (Km) were (19600).

0 is Jakarta, Bogota, Colombia 2 is Singapore Bar Chart

0 to 1 ... Ja... Km

0 to 2 ... Ja... Km: 19,600

1 to 2 ... Bo...

0 5,000 10,000 15,000 20,000 Km

Another bar chart?

```

tell application "TextWrangler"
  activate
  select text 1 of project window 1
  copy selection
  make new text document at project window 1
  tell application "System Events"

    set cannedResponse to "<hr>"

    <p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be
interested' href='#d25228' onclick='var dv=document.getElementById("\d25228\"); dv.innerHTML =
\&lt;iframe width=670 height=600 src=\ + \http://www.rjprogramming.com.au/ITblog/tag/web-
server\ + \&gt;&lt;/iframe&gt;\'; dv.style.display = \&quot;block\&quot;;>this</a> too.</p>
<div id='d25228' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>"

    set theList to paragraphs of cannedResponse
    set listCount to count of theList
    repeat with i from 1 to listCount
      tell application "System Events"
        keystroke item i of theList
        if i is not listCount then keystroke return
      end tell
    end repeat
  end tell
paste
end tell

```

Description

De



9,600 while (Km) were (19600).

17 Imagery ©2017 NASA Terms of Use

of Google Chart ... Menu

ent started. Robert

ancel leaves the status quo)

arta in Indonesia to Singapore

0 is Jakarta, Bogota, Colombia 2 is Singapore Bar Chart

Cancel OK



Robert James Metcalfe Blog


RJM Programming WordPress site
(Copyright ©
rjmprogramming.com.au 2015 All
rights reserved.)
[Long hover help available.](#)



- Home
- About
- All Posts
- Chat
- Contact
- Last
- One Image Site
- Poll
- Privacy Statement
- Language
- Course

Walking Trip ... Welcome to Our Information Technology Blog

Walking Trip February 23, 2013 by admin



Numbers Guessing Game

Get	Your	Your
clue	answer	Score

Clue? Answer? Score 0/0

Search

Tag Category Title RE

Recent Posts

- Other Side of the World

rjmprogramming.com.au 2015 All rights reserved.)
[Long hover help available.](#)



Home About All Posts Chat Contact Course One Image Site Poll Privacy Statement Language

Tag Archives: *AppleScript*

AppleScript Surfing Primer Tutorial

Posted on August 4, 2015 by admin

What AutoHotKey is as a recording piece of functionality for Windows is, AppleScript is Mac OS X's recording functionality equivalent. Today we shaped to want to show you the equivalent functionality AutoHotKey achieved surfing the net with Internet Explorer as ... [Continue reading →](#)

Posted in [eLearning](#), [Operating System](#), [Tutorials](#) | Tagged [AppleScript](#), [blog](#), [Firefox](#), [Javascript](#), [Mac](#), [Mac OS X](#), [Mac OS X Yosemite](#), [PHP](#), [programming](#), [recording](#), [tutorial](#), [web browser](#), [Wordpress](#) | 7 Comments

[Edit](#)

Numbers Guessing Game

Get Your Your
clue answer Score

Clue? Answer? Score 0/0

 Tag Category Title RE

Recent Posts

- [Other Side of the World](#)
- [Google Chart Tutorial](#)

WordPress 4.8 is available! [Please update now.](#)

Edit Post Add New

AppleScript Surfing Primer Tutorial

Permalink: <http://www.rjmprogramming.com.au/ITblog/applescript-su...rimer-tutorial/> Edit View Post Get Shortlink

Add Media

Visual Text

b i link b-quote del ins img ul ol li code more close tags

```
<p>[caption id="" align="alignnone" width="220" caption="AppleScript Surfing Primer Tutorial"]<a target=_blank href="http://www.rjmprogramming.com.au/Mac/AppleScriptEditor/AppleScript_Surfing.jpg"></a>[/caption] </p>
```

<p>What AutoHotKey is as a recording piece of functionality for Windows is, AppleScript is Mac OS X's recording functionality equivalent.</p>

<p>Today we shaped to want to show you the equivalent functionality AutoHotKey achieved surfing the net with Internet Explorer as shown below with AutoHotKey Surfing ASP.Net Primer Tutorial on a Mac (using Mac OS X Mavericks) and using Firefox, and ran into a roadblock that is either that AppleScript is not as featureful as AutoHotKey, or we're not up to the AppleScript smarts required. So we compromised and changed the WordPress blog code's header.php to help out, some of the way, to helping via the bold changes below ...</p>

```
<code>
<b>
function precc() {
var ourwov=location.search.split('wopenall=')[1] ? location.search.split('wopenall=')[1].split('&')[0] : ' ';
var ows, owstwo, iot;
if (ourwov != ' ') {
var hones=docgetclass("entry-title", "h1");
```

Categories

- All Categories Most Used
- eLearning
- Operating System
- Tutorials
- Ajax
- Android
- Animation
- Anything You Like
- Code::Blocks

+ Add New Category

Publish

Preview Changes

- Status: **Published** [Edit](#)
- Visibility: **Public** [Edit](#)
- Revisions: **8** [Browse](#)
- Published on: **4 Aug 2015 @ 5:01** [Edit](#)

- Undo ⌘Z
- Redo ⌘⇧Z
- Cut ⌘X
- Copy ⌘C
- Paste ⌘V
- Delete
- Select All ⌘A
- Find ⌘F
- Find Again ⌘G
- Start Dictation...
- Emoji & Symbols ^⌘Space

Screen Options Help

WordPress 4.8

Edit Post

AppleScript

Permalink: <http://www.rjmprogramming.com.au/ITblog/applescript-su...rimer-tutorial/> Edit View Post Get Shortlink

Add Media

Visual Text

b i link b-quote del ins img ul ol li code more close tags

```
<p>[caption id="" align="alignnone" width="220" caption="AppleScript Surfing Primer Tutorial"]<a target=_blank href="http://www.rjmprogramming.com.au/Mac/AppleScriptEditor/AppleScript_Surfing.jpg"></a>[/caption] </p>
```

<p>What AutoHotKey is as a recording piece of functionality for Windows is, AppleScript is Mac OS X's recording functionality equivalent.</p>

<p>Today we shaped to want to show you the equivalent functionality AutoHotKey achieved surfing the net with Internet Explorer as shown below with AutoHotKey Surfing ASP.Net Primer Tutorial on a Mac (using Mac OS X Mavericks) and using Firefox, and ran into a roadblock that is either that AppleScript is not as featureful as AutoHotKey, or we're not up to the AppleScript smarts required. So we compromised and changed the WordPress blog code's header.php to help out, some of the way, to helping via the bold changes below ...</p>

```
<code>
<b>
function precc() {
var ourwoy=location.search.split('wopenall=')[1] ? location.search.split('wopenall=')[1].split('&')[0] : ' ';
var ows, owstwo, iot;
if (ourwoy != ' ') {
var hones=docgetclass("entry-title", "h1");
```

Categories

- eLearning
- Operating System
- Tutorials
- Ajax
- Android
- Animation
- Anything You Like
- Code::Blocks

+ Add New Category

Publish

Preview Changes

Status: **Published** [Edit](#)

Visibility: **Public** [Edit](#)

Revisions: **8** [Browse](#)

Published on: **4 Aug 2015 @ 5:01** [Edit](#)

- Undo ⌘Z
- Redo ⌘⇧Z
- Cut ⌘X
- Copy ⌘C**
- Paste ⌘V
- Delete
- Select All ⌘A
- Find ⌘F
- Find Again ⌘G
- Start Dictation...
- Emoji & Symbols ^⌘Space

WordPress 4.8

Edit Post

AppleScript

Permalink: <http://www.rjmprogramming.com.au/ITblog/applescript-su...rimer-tutorial/> Edit View Post Get Shortlink

Add Media

Visual Text

b i link b-quote del ins img ul ol li code more close tags

```
<p>[caption id="" align="alignnone" width="220" caption="AppleScript Surfing Primer Tutorial"]<a target=_blank href="http://www.rjmprogramming.com.au/Mac/AppleScriptEditor/AppleScript_Surfing.jpg"></a>[/caption] </p>
```

<p>What AutoHotKey is as a recording piece of functionality for Windows is, AppleScript is Mac OS X's recording functionality equivalent.</p>

<p>Today we shaped to want to show you the equivalent functionality AutoHotKey achieved surfing the net with Internet Explorer as shown below with AutoHotKey Surfing ASP.Net Primer Tutorial on a Mac (using Mac OS X Mavericks) and using Firefox, and ran into a roadblock that is either that AppleScript is not as featureful as AutoHotKey, or we're not up to the AppleScript smarts required. So we compromised and changed the WordPress blog code's header.php to help out, some of the way, to helping via the changes below ...

```
<code>
<b>
function precc() {
var ourvoy=location.search.split('wopenall=')[1] ? location.search.split('wopenall=')[1].split('&')[0] : ' ';
var ows, owstwo, iot;
if (ourvoy != ' ') {
var hones=docgetclass("entry-title", "h1");
```

Categories

All Categories Most Used

- eLearning
- Operating System
- Tutorials
- Ajax
- Android
- Animation
- Anything You Like
- Code::Blocks

+ Add New Category

Publish

Preview Changes

- Status: **Published** Edit
- Visibility: **Public** Edit
- Revisions: **8** Browse
- Published on: **4 Aug 2015 @ 5:01** Edit

Currently Open Documents

- test_mapper.html
- test_mapper.html_G
- test2.html
- timed_count.htm
- timed_count.html
- timed_count.html--
- timed_count.html--
- timed_count.php
- timed_count.php_GE
- timed_count.php_ol
- timeline_chart.php
- timeline_chart.php
- timeline_chart.php--
- tr_mapping.php-GE
- tz_places_spare.php
- tz_places.php
- tz_places.php_GETM
- tz_places.php
- tz_places.php-----
- tz.html
- ua.php
- aqg.txt
- aaa_tqb.txt
- untitled text 7
- aaa_nggn.txt
- aaa_mhjfjhgf.txt
- untitled text 36
- aaa_new_yteviapiret
- x.html
- untitled text 6

Recent Documents

- other_side_of_the_world.html-----GETME
- other_side_of_the_world.htm
- other_side_of_theworld.htm
- other_side_of_the_world.htm
- tz_places.php
- other_side_of_the_world.htm
- other_side_of_the_world.htm
- at_poc.php

File menu options:

- New
 - New with Stationery
- Open... ⌘O
- Open from FTP/SFTP Server... ^⌘O
- Open File by Name... ⌘D
- Open Counterpart ⌘⇧↑
- Open Recent
- Reopen Using Encoding
- Close Window ⌘⇧W
- Close Document ⌘W
- Close & Delete
- Save ⌘S
- Save As... ⌘⇧S
- Save a Copy...
- Save to FTP/SFTP Server... ^⌘S
- Save a Copy to FTP/SFTP Server... ^⌘⇧S
- Revert
- Reload from Disk
- Export...
- Hex Dump File...
- Hex Dump Front Document...
- Page Setup... ⌘⇧P
- Print... ⌘P
- Print Selection

```

viapiret.txt
:57 pm
/MAMP/htdocs/aaa_new_yteviapiret.txt
(no symbol selected)
" width="220" caption="New YouTube Embedded Video in Iframe API RegEx Tutorial"]<a
be Embedded Video in Iframe API RegEx Tutorial' href='#yteviapiret'>YouTube Embedded
you can also see this play out at WordPress 4.1.1's <a target=_blank href='http://www.rjmprogramming.com.au/IT
='yteviapiret'>Previous relevant <a target=_blank title='YouTube Embedded Video in Iframe API RegEx Tutorial'
caption id="" align="alignnone" width="220" caption="YouTube Embedded Video in Iframe API RegEx Tutorial"]<a t
've said many's a time it's good to revisit code and its workings. A break from it makes you forget to be op
eleven character YouTube video ID ... or ...</li>
anything else non-blank means search the YouTube "database" for what you have entered as a search of their vid
... but in so doing, allowing advanced users some latitude, or more nervous users a narrow focus (a combinatio
oo dumb with our code ... and ...</li>
also not thinking to the future</li>
... let me explain. Our way of differentiating the two types of "entry types" above was, in broad brush terms, for
32
33
34 <li>blank characters not at the ends of the string means second YouTube Search "entry type" ... else ...</li>
35 <li>greater than 11 characters means second YouTube Search "entry type" ... else ...</li>
36 <li>is first YouTube ID "entry type"</li>
37 </ul>
38
39 <p> ... which we found was pretty dumb, when, in reapproaching the running of this web application, in all innocen
40
41 <ul>

```


- Currently Open Documents
- test_mapper.html
 - test_mapper.html_GETME
 - test2.html
 - timed_count.htm
 - timed_count.html
 - timed_count.html-----GETME
 - timed_count.php
 - timed_count.php_GETME
 - timed_count.php_oldGETME
 - timeline_chart.php
 - timeline_chart.php
 - timeline_chart.php-----GETME
 - tr_mapping.php-GETME
 - tz_places_spare.php
 - tz_places.php
 - tz_places.php_GETME
 - tz_places.php
 - tz_places.php-----GETME
 - tz.html
 - ua.php
 - aaq.txt
 - aaa_tqb.txt
 - untitled text 7
 - aaa_nggn.txt
 - aaa_mhjfhgf.txt
 - untitled text 36
 - aaa_new_yteviapiret.txt
 - untitled text 81
 - x.html
- Recent Documents
- other_side_of_the_world.html-----GETME
 - other_side_of_the_world.htm
 - other_side_of_theworld.htm
 - other_side_of_the_world.htm
 - tz_places.php
 - other_side_of_the_world.htm
 - other_side_of_the_world.htm
 - at_poc.php

- Can't Undo ⌘Z
- Can't Redo ⇧⌘Z
- Clear Undo History ^⌘Z
- Cut ⌘X
- Copy ⌘C
- Paste ⌘V**
- Paste Column ⇧⌘V
- Clear
- Select All ⌘A
- Select None ⇧⌘A
- Select Line ⌘L
- Select Paragraph ⌘⇧L
- Insert ▶
- Copy Path ▶
- Show Clipboard
- Previous Clipboard ^[
- Next Clipboard ^]
- Text Options... ⌘⇧,
- Document Options... ^⌘,
- Printing Options... ⇧⌘,
- Normalize Options...
- Start Dictation... fn fn
- Emoji & Symbols

untitled text 81

(New Document)

untitled text 81

- Currently Open Documents
- test_mapper.html
 - test_mapper.html_GETME
 - test2.html
 - timed_count.htm
 - timed_count.html
 - timed_count.html-----GETME
 - timed_count.php
 - timed_count.php_GETME
 - timed_count.php_oldGETME
 - timeline_chart.php
 - timeline_chart.php
 - timeline_chart.php-----GETME
 - tr_mapping.php-GETME
 - tz_places_spare.php
 - tz_places.php
 - tz_places.php_GETME
 - tz_places.php
 - tz_places.php-----GETME
 - tz.html
 - ua.php
 - aqg.txt
 - aaa_tqb.txt
 - untitled text 7
 - aaa_nggn.txt
 - aaa_mhjfjhgf.txt
 - untitled text 36
 - aaa_new_yteviapiret.txt
 - untitled text 81
 - x.html
- Recent Documents
- other_side_of_the_world.html-----GETME
 - other_side_of_the_world.htm
 - other_side_of_theworld.htm
 - other_side_of_the_world.htm
 - tz_places.php
 - other_side_of_the_world.htm
 - other_side_of_the_world.htm
 - at_poc.php

- Open Script Editor
- Open Scripting Dictionary
- Open Scripts Folder
- Start Recording
- Clone Blog Posting

```

158 <hr />
159 <p id="p...target=_blank href='http://www.rjmprogramming.com.au/wordpress/?p=616' title='
160
161 [caption id="" align="alignnone" width="220" caption="AutoHotKey Primer Tutorial ... http://www.autohotkey.com"]<a
162
163 <p>Have you heard of AutoHotKey?
164
165 It is a Windows application (that is quite brilliant) which can record and replay mouse and keystrokes, or assign
166
167 Don't want to show my age, but first got keen about AutoHotKey because I couldn't believe the day (was it when Wi
168
169 In this primer <a target=_blank title='click picture' href='http://www.rjmprogramming.com.au/AutoHotKey/Example/'
170 In this link you can look at some of the <a target=_blank href='http://www.rjmprogramming.com.au/AutoHotKey' title
171 </p>
172
173 <p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be inter
174 <div id='d616' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>
175
176
177 <hr />
178
179 <p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be inter
180 <div id='d3606' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>
181 <hr />
182
183 <p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be inter
184 <div id='d4296' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>
185 <hr>
186 <p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be inter
187 <div id='d7239' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>
188
189
190 <hr>
191 <p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be inter
192 <div id='d16184' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>
193 <hr>
194 <p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be inter
195 <div id='d16251' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>
196 <hr>
197 <p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be inter
198 <div id='d16251' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>

```



Currently Open Documents

- test_mapper.html
- test_mapper.html_GETME
- test2.html
- timed_count.htm
- timed_count.html
- timed_count.html-----GETME
- timed_count.php
- timed_count.php_GETME
- timed_count.php_oldGETME
- timeline_chart.php
- timeline_chart.php
- timeline_chart.php-----GETME
- tr_mapping.php-GETME
- tz_places_spare.php
- tz_places.php
- tz_places.php_GETME
- tz_places.php
- tz_places.php-----GETME
- tz.html
- ua.php
- aqg.txt
- aaa_tqb.txt
- untitled text 7
- aaa_nggn.txt
- aaa_mhjfjhgfg.txt
- untitled text 36
- aaa_new_yteviapiret.txt
- untitled text 81
- aaa_new_asspt.txt

Recent Documents

- other_side_of_the_world.html-----GETME
- other_side_of_the_world.htm
- other_side_of_theworld.htm
- other_side_of_the_world.htm
- tz_places.php
- other_side_of_the_world.htm
- other_side_of_the_world.htm
- at_poc.php

Last Saved: 3/7/17, 12:22:23 pm
File Path: /Applications/MAMP/htdocs/aaa_new_asspt.txt

```
1 [caption id="" align="alignnone" width="220" caption="New AppleScript Surfing Primer Tutorial"]<a target=_blank hr
2
3
4
5 <p>Yesterday's <a title='AppleScript Surfing Primer Tutorial' href='#asspt'>AppleScript Surfing Primer Tutorial'>A
6
7
8 <p>You can also see this play out at WordPress 4.1.1's <a target=_blank href='http://www.rjprogramming.com.au/IT
9
10 <hr>
11
12 <p id='asspt'>Previous relevant <a target=_blank title='AppleScript Surfing Primer Tutorial' href='http://www.rjmp
13
14
15 <p>[caption id="" align="alignnone" width="220" caption="AppleScript Surfing Primer Tutorial"]<a target=_blank hre
16
17 <p>What AutoHotKey is as a recording piece of functionality for Windows is, AppleScript is Mac OS X's recording fu
18
19 <p>Today we shaped to want to show you the equivalent functionality AutoHotKey achieved surfing the net with Inter
20
21 <code>
22 <b>
23 function precc() {
24     var ourwov=location.search.split('wopenall=')[1] ? location.search.split('wopenall=')[1].split('&')[0] : ' ';
25     var ows, owstwo, iot;
26     if (ourwov != ' ') {
27         var hones=docgetclass("entry-title", "h1");
28         if (hones.length > 0) {
29             for (iot=0; iot<hones.length; iot++) {
30                 if (ourwov == "" || hones[iot].innerHTML.toLowerCase().indexOf(ourwov.toLowerCase()) != -1) {
31                     ows=hones[iot].innerHTML.split("href=");
32                     if (ows.length > 1) {
33                         owstwo=ows[1].substring(1).split(ows[1].substring(0,1));
34                         window.open(owstwo[0], "_blank");
35                     }
36                 }
37             }
38         }
39     }
40 }
41 </b>
```



WordPress 4.8 is available! [Please update now](#)

[Post](#)
[Media](#)
[Page](#)
[User](#)

Screen Options Help

AppleScript Surfing Primer Tutorial

Permalink: <http://www.rjmprogramming.com.au/ITblog/applescript-su...rimer-tutorial/> [Edit](#) [View Post](#) [Get Shortlink](#)

Add Media

Visual Text

b i link b-quote del ins img ul ol li code more close tags

```
<p>[caption id="" align="alignnone" width="220" caption="AppleScript Surfing Primer Tutorial"]<a target=_blank href="http://www.rjmprogramming.com.au/Mac/AppleScriptEditor/AppleScript_Surfing.jpg"></a>[/caption] </p>
```

What AutoHotKey is as a recording piece of functionality for Windows is, AppleScript is Mac OS X's recording functionality equivalent.

Today we shaped to want to show you the equivalent functionality AutoHotKey achieved surfing the net with Internet Explorer as shown below with [AutoHotKey Surfing ASP.Net Primer Tutorial](#) on a Mac (using Mac OS X Mavericks) and using Firefox, and ran into a roadblock that is either that AppleScript is not as featureful as AutoHotKey, or we're not up to the AppleScript smarts required. So we compromised and changed the WordPress blog code's header.php to help out, some of the way, to helping via the **changes below** ...

```
<code>
<b>
function precc() {
var ourvoy=location.search.split('wopenall=')[1] ? location.search.split('wopenall=')[1].split('&')[0] : ' ';
var ows, owstwo, iot;
if (ourvoy != ' ') {
```

Categories

All Categories Most Used

- eLearning
- Operating System
- Tutorials
- Ajax
- Android
- Animation
- Anything You Like
- Code::Blocks

[+ Add New Category](#)

Publish

[Preview Changes](#)

- Status: **Published** [Edit](#)
- Visibility: **Public** [Edit](#)
- Revisions: **8** [Browse](#)
- Published on: **4 Aug 2015 @ 5:01** [Edit](#)

WordPress 4.8 is available! [Please update now.](#)

Screen Options Help

Add a New Post

Add Media

Visual Text

b i link b-quote del ins img ul ol li code more close tags

Word count: 0

Featured Image

Categories

All Categories Most Used

- Ajax
- Android
- Animation
- Anything You Like
- Code::Blocks
- Coding
- Colour Matching
- Data Integration

[+ Add New Category](#)

Publish

Save Draft Preview

Status: **Draft** [Edit](#)

Visibility: **Public** [Edit](#)

Publish immediately [Edit](#)

Move to Trash [Publish](#)

- Undo ⌘Z
- Redo ⇧⌘Z
- Cut ⌘X
- Copy ⌘C
- Paste ⌘V
- Delete
- Select All ⌘A
- Find ⌘F
- Find Again ⌘G
- Start Dictation...
- Emoji & Symbols ^⌘Space

WordPress 4.8

Add a New

Enter title

Add Media

Visual Text

- b
- i
- link
- b-quote
- del
- ins
- img
- ul
- ol
- li
- code
- more
- close tags

Main content editor area with a large text input field.

Word count: 0

Featured Image

Categories

- All Categories
- Most Used
- Ajax
- Android
- Animation
- Anything You Like
- Code::Blocks
- Coding
- Colour Matching
- Data Integration
- [+ Add New Category](#)

Publish

Save Draft Preview

Status: Draft [Edit](#)

Visibility: Public [Edit](#)

Publish Immediately [Edit](#)

Move to Trash [Publish](#)

- Undo ⌘Z
- Redo ⇧⌘Z
- Cut ⌘X
- Copy ⌘C
- Paste ⌘V
- Delete
- Select All ⌘A
- Find ⌘F
- Find Again ⌘G
- Start Dictation...
- Emoji & Symbols ^⌘Space

WordPress 4.8

Add a New

Enter title

Add Media

Visual Text

- b
- i
- link
- b-quote
- del
- ins
- img
- ul
- ol
- li
- code
- more
- close tags

Word count: 0

Categories

All Categories Most Used

- Ajax
- Android
- Animation
- Anything You Like
- Code::Blocks
- Coding
- Colour Matching
- Data Integration

+ Add New Category

Publish

Save Draft

Preview

Status: Draft [Edit](#)

Visibility: Public [Edit](#)

Publish immediately [Edit](#)

Firefox

Add Media

Visual Text

b i link b-quote del ins img ul ol li code more close tags

```

"http://www.rjmprogramming.com.au/wordpress/?s=AutoHotKey" + "&#x26;" + "&#x26;"; dv.style.display = "block";>this</a> too.</p>
<div id='d4296' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>
<hr>
<p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be interested'
href='#d7239' onclick='var dv=document.getElementById("d7239"); dv.innerHTML = "&#x26;" + "&#x26;"; dv.style.display = "block";>this</a>
too.</p>
<div id='d7239' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>
<hr>
<p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be interested'
href='#d16184' onclick='var dv=document.getElementById("d16184"); dv.innerHTML = "&#x26;" + "&#x26;"; dv.style.display = "block";>this</a>
too.</p>
<div id='d16184' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>
<hr>
<p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be interested'
href='#d16251' onclick='var dv=document.getElementById("d16251"); dv.innerHTML = "&#x26;" + "&#x26;"; dv.style.display = "block";>this</a>
too.</p>
<div id='d16251' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>
<hr>
<p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be interested'
href='#d16251' onclick='var dv=document.getElementById("d16251"); dv.innerHTML = "&#x26;" + "&#x26;"; dv.style.display = "block";>this</a>
too.</p>
<div id='d16251' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>
<hr>
<p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be interested'
href='#d99999' onclick='var dv=document.getElementById("d99999"); dv.innerHTML = "&#x26;" + "&#x26;"; dv.style.display = "block";>this</a>
too.</p>
<div id='d99999' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>

```

- Ajax
- Android
- Animation
- Anything You Like
- Code::Blocks
- Coding
- Colour Matching
- Data Integration

+ Add New Category

Publish

Save Draft Preview

Status: Draft [Edit](#)

Visibility: Public [Edit](#)

Publish immediately [Edit](#)

Move to Trash [Publish](#)

Tags

Add

Separate tags with commas

[Choose from the most used tags](#)

Add Media

Visual Text

b i link b-quote del ins img ul ol li code more close tags

```
"http://www.rjmprogramming.com.au/wordpress/?s=AutoHotKey" + "&g&t;/iframe&g;t;"; dv.style.display = "block";>this</a> too.</p>
<div id='d4296' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>
<hr>
<p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be interested'
href='#d7239' onclick='var dv=document.getElementById("d7239"); dv.innerHTML = "&lt;iframe width=670 height=600 src=" +
"http://www.rjmprogramming.com.au/wordpress/?tag=AutoHotKey" + "&g&t;/iframe&g;t;"; dv.style.display = "block";>this</a>
too.</p>
<div id='d7239' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>
<hr>
<p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be interested'
href='#d16184' onclick='var dv=document.getElementById("d16184"); dv.innerHTML = "&lt;iframe width=670 height=600 src=" +
"http://www.rjmprogramming.com.au/ITblog/?tag=PHP" + "&g&t;/iframe&g;t;"; dv.style.display = "block";>this</a> too.</p>
<div id='d16184' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>
<hr>
<p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be interested'
href='#d16251' onclick='var dv=document.getElementById("d16251"); dv.innerHTML = "&lt;iframe width=670 height=600 src=" +
"http://www.rjmprogramming.com.au/ITblog/?tag=ASP.NET" + "&g&t;/iframe&g;t;"; dv.style.display = "block";>this</a> too.</p>
<div id='d16251' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>
<hr>
<p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be interested'
href='#d16251' onclick='var dv=document.getElementById("d16251"); dv.innerHTML = "&lt;iframe width=670 height=600 src=" +
"http://www.rjmprogramming.com.au/ITblog/?tag=applescript" + "&g&t;/iframe&g;t;"; dv.style.display = "block";>this</a> too.</p>
<div id='d16251' style='display: none; border-left: 2px solid green; border-top: 2px solid green;'></div>
<hr>
<p>If this was interesting you may be interested in <a title='Click here to see topics in which you might be interested'
href='#d99999' onclick='var dv=document.getElementById("d99999"); dv.innerHTML = "&lt;iframe width=670 height=600 src=" +
"http://www.rjmprogramming.com.au/ITblog/tag/tutorial" + "&g&t;/iframe&g;t;"; dv.style.display = "block";>this</a> too.</p>
```

- Ajax
- Android
- Animation
- Anything You Like
- Code::Blocks
- Coding
- Colour Matching
- Data Integration

+ Add New Category

Publish

Save Draft Preview

Status: Draft [Edit](#)

Visibility: Public [Edit](#)

Publish immediately [Edit](#)

Move to Trash [Publish](#)

Tags


Add

Separate tags with commas

[Choose from the most used tags](#)

Robert James Metcalfe Blog

RJM Programming WordPress site
(Copyright ©
rjmprogramming.com.au 2015 All
rights reserved.)
[Long hover help available.](#)



- Home
- About
- All Posts
- Chat
- Contact
- Last
- One Image Site
- Poll
- Privacy Statement
- Language
- Course

← Other Side of the World Google Chart Tutorial

AppleScript July 3, 2017 by admin

[New](#) [Primer Tutorial](#) [fing](#)

New AppleScript Surfing Primer Tutorial

Yesterday's [AppleScript Surfing Primer Tutorial](#)'>[AppleScript Surfing Primer Tutorial](#) ...

You can also see this play out at [WordPress 4.1.1's New AppleScript Surfing](#)

Numbers Guessing Game

Get	Your	Your
clue	answer	Score

Clue? Answer? Score 0/0

Search

Tag Category Title RE

Recent Posts

[Other Side of the World Google Chart Tutorial](#)

Robert James Metcalfe Blog

RJM Programming WordPress site
(Copyright ©
rjmprogramming.com.au 2015 All
rights reserved.)
[Long hover help available.](#)



- Home
- About
- All Posts
- Chat
- Contact
- Last
- One Image Site
- Poll
- Privacy Statement
- Language
- Course

← Other Side of the World Google Chart Tutorial

AppleScript July 3, 2017 by admin

New **Primer Tutorial** **fin**
New AppleScript Surfing Primer Tutorial

Yesterday's [AppleScript Surfing Primer Tutorial](#) ...

You can also see this play out at WordPress 4.1.1's [New AppleScript Surfing Primer Tutorial](#) ...

Numbers Guessing Game

Get	Your	Your
clue	answer	Score

Clue? Answer? Score 0/0

Search

Tag Category Title RE

Recent Posts


Other Side of the World
Google Chart Tutorial

Yesterday's [AppleScript Surfing Primer Tutorial](#) ...

You can also see this play out at WordPress 4.1.1's [New AppleScript Surfing Primer Tutorial](#) ...

AppleScript Surfing Primer Tutorial

Previous relevant [AppleScript Surfing Primer Tutorial](#) is shown below.



Tag Category Title RE

Recent Posts

Other Side of the World Google Chart Tutorial



Other Side of the World Continents and Countries Tutorial



Webpage that Self-Destructs Primer Tutorial



Other Side of the World Timezone Tutorial



Other Side of the World Map Chart Styling Tutorial

— Other Side of the World Google Chart Tutorial

AppleScript July 3, 2017 admin


New AppleScript Surfing Primer Tutorial

Yesterday's [AppleScript Surfing Primer Tutorial](#) ...

You can also see this play out at WordPress 4.1.1's [New AppleScript Surfing Primer Tutorial](#) ...

AppleScript Surfing Primer Tutorial

Previous relevant [AppleScript Surfing Primer Tutorial](#) is shown below.



AppleScript Surfing Primer Tutorial

What AutoHotKey is as a recording piece of functionality for Windows is, AppleScript is Mac OS X's recording functionality equivalent.

Today we shaped to want to show you the equivalent functionality AutoHotKey achieved surfing the net with Internet Explorer as shown below with [AutoHotKey Surfing ASP.Net Primer Tutorial](#) on a Mac (using Mac OS X Mavericks) and using Firefox, and ran into a roadblock that is either that AppleScript is not as featureful as AutoHotKey, or we're not up to the AppleScript smarts required. So we compromised and changed the WordPress blog code's header.php to help out, some of the way, to helping via the **bold** changes below ...

Numbers Guessing Game

Get Your
clue answer Score

Clue? Answer? Score
0/0

Search

Tag Category Title

- RE
- Recent Posts**
- Other Side of the World Google Chart Tutorial
 - Other Side of the World Continents and Countries Tutorial
 - Webpage that Self-Destructs Primer Tutorial
 - Other Side of the World Timezone Tutorial
 - Other Side of the World Map Chart Styling Tutorial
 - Other Side of the World Mobile Scrolling Tutorial
 - Other Side of the World IFrame Tutorial